

Made-To-Measure Form

Men's Scouts BSA Uniform Pants

Customer Name: _____	Date: _____
----------------------	-------------

Shipping Address: _____

Day Time Phone Number: _____	Email: _____
------------------------------	--------------

<i>For Office Use Only</i>	<i>For Office Use Only</i>
Order Number: _____	PO Number: _____

Comments: _____

All made to measure payments are collected up front. Delivery can take up to 16 weeks.

For more accurate measurements, lay your garment FLAT on a HARD surface and use a soft measuring tape. Smooth the garment with your hands, but do not stretch the fabric. Ironing is recommended for garments that are highly wrinkled.

Note: For optimal results, consult a professional tailor to take these garment measurements.

ONLY INSEAM LENGTH CHANGE REQUEST

Fill out this section if you're able to find an existing in-stock pants size that basically fits and **only requires alterations to inseam length**. Simply follow these easy steps for requesting pants modifications:

- 1) Try on pants at a Scout Shop; record BSA SKU# below of style that fits best.
- 2) Measure current inseam length of pants you try on and record below.
- 3) Indicate the new requested hemmed inseam below.
- 4) Subtract the difference between the current stock measurement (even if it is an unhemmed measurement) and the new requested hemmed measurement.

BSA Stock SKU: _____ Description: _____

C. Inseam Length
 (From top of inseam to bottom of the pant)

Current BSA Stock Item: _____ inches Customer Requested: _____ inches

Difference (+/-): _____ inches

MADE-TO-MEASURE REQUEST



Please use casual trousers (not jeans!) from woven fabric that fit you well to take these garment measurements. We will make the new garment to the measurements that you indicate below. For best results, lay your garment flat on a hard surface and use a soft measuring tape. Smooth the garment with your hands, but do not stretch the fabric. Ironing is recommended for garments that are highly wrinkled. We highly recommend asking a professional tailor to take these measurements.

Customer's Personal Measurement: **Height:** _____ **Weight:** _____

Customer's Typical Trouser Size: **Waist:** _____ **Inseam:** _____

All measurements should be based on actual garments. Not body measurements.

<p>A. Waist: _____ x 2: _____</p> <p><small>*This measurement will not correspond to the size on the label. Please take this measurement from the garment as directed below.</small></p> <p><small>From side to side and double this measurement. Do not stretch elastic if any is present.</small></p>	<p>C. Inseam: _____</p> <p><input type="checkbox"/> Hemmed</p> <p><input type="checkbox"/> Un-Hemmed - From the crotch to pant edge. (Add 2" to actual inseam measurement to account for hemming)</p>	<p>E. Bottom Leg Opening: _____ x 2: _____</p> <p><small>From side to side at the bottom. Double this measurement.</small></p>
<p>B. Hip - 8" Down: _____ x 2: _____</p> <p><small>From side to side 8" below waistband. Double this measurement.</small></p>	<p>D. Thigh - 1" Below Crotch: _____ x 2: _____</p> <p><small>Measure across the leg, parallel to the leg opening, 1" below crotch. Double this measurement.</small></p>	<p>F. Front Rise: _____</p> <p><small>Starting at the bottom of the waistband, measure along the front zipper and seam to the intersection of the inseam.</small></p>
		<p>G. Back Rise: _____</p> <p><small>Starting at the bottom of the waistband, measure along the back seam to the intersection of the inseam.</small></p>



PLEASE TYPE OR WRITE LEGIBLY



BOY SCOUTS OF AMERICA

Made-To-Measure Form

Ladies' Scouts BSA Uniform Roll-up Pants

2109 Westinghouse Blvd.
P.O. Box 7143
Charlotte, NC 28271-7143
800-323-0736
NDCSupply.Orders@Scouting.org
www.ScoutShop.org

Customer Name: _____ Date: _____

Shipping Address: _____

Day Time Phone Number: _____ Email: _____

Order Number: *For Office Use Only* _____ PO Number: *For Office Use Only* _____

Comments: _____

All made to measure payments are collected up front. Delivery can take up to 16 weeks.

For more accurate measurements, lay your garment FLAT on a HARD surface and use a soft measuring tape. Smooth the garment with your hands, but do not stretch the fabric. Ironing is recommended for garments that are highly wrinkled.

Note: For optimal results, consult a professional tailor to take these garment measurements.

ONLY INSEAM LENGTH CHANGE REQUEST

Fill out this section if you're able to find an existing in-stock pants size that basically fits and **only requires alterations to inseam length**. Simply follow these easy steps for requesting pants modifications:

- 1) Try on pants at a Scout Shop; record BSA SKU# below of style that fits best.
- 2) Measure current inseam length of pants you try on and record below.
- 3) Indicate the new requested hemmed inseam below.
- 4) Subtract the difference between the current stock measurement (even if it is an unhemmed measurement) and the new requested hemmed measurement.

BSA Stock SKU: _____ Description: _____

C. Inseam Length
(From top of inseam to bottom of the pant)

Current BSA Stock Item: _____ inches Customer Requested: _____ inches

Difference (+-): _____ inches

MADE-TO-MEASURE REQUEST

Please use casual trousers (not jeans!) from woven fabric that fit you well to take these garment measurements. We will make the new garment to the measurements that you indicate below. For best results, lay your garment flat on a hard surface and use a soft measuring tape. Smooth the garment with your hands, but do not stretch the fabric. Ironing is recommended for garments that are highly wrinkled. We highly recommend asking a professional tailor to take these measurements.

Customer's Personal Measurement: Height: _____ Weight: _____

Customer's Typical Trousers Size: Waist: _____ Inseam: _____

All measurements should be based on actual garments. Not body measurements.

A. Waist: _____ x 2: _____
**This measurement will not correspond to the size on the label. Please take this measurement from the garment as directed below.*
From side to side and double this measurement.
Do not stretch elastic if any is present.

B. Hip - 8" Down: _____ x 2: _____
From side to side **8" below waistband**. Double this measurement.




C. Inseam: _____
 Hemmed
 Un-Hemmed - From the crotch to pant edge. (Add 2" to actual inseam measurement to account for hemming)

D. Thigh - 1" Below Crotch: _____ x 2: _____
Measure across the leg, parallel to the leg opening, **1" below crotch**. Double this measurement.

E. Bottom Leg Opening: _____ x 2: _____
From side to side at the bottom. Double this measurement.

F. Front Rise: _____
Starting at the bottom of the waistband, measure along the front zipper and seam to the intersection of the inseam.

G. Back Rise: _____
Starting at the bottom of the waistband, measure along the back seam to the intersection of the inseam.



PLEASE TYPE OR WRITE LEGIBLY

Made-To-Measure Form

Boys' Scouts BSA Uniform Pants

Customer Name: _____	Date: _____
----------------------	-------------

Shipping Address: _____

Day Time Phone Number: _____	Email: _____
------------------------------	--------------

<i>For Office Use Only</i>	<i>For Office Use Only</i>
Order Number: _____	PO Number: _____

Comments: _____

All made to measure payments are collected up front. Delivery can take up to 16 weeks.

For more accurate measurements, lay your garment FLAT on a HARD surface and use a soft measuring tape. Smooth the garment with your hands, but do not stretch the fabric. Ironing is recommended for garments that are highly wrinkled.

Note: For optimal results, consult a professional tailor to take these garment measurements.

ONLY INSEAM LENGTH CHANGE REQUEST

Fill out this section if you're able to find an existing in-stock pants size that basically fits and **only requires alterations to inseam length**. Simply follow these easy steps for requesting pants modifications:

- 1) Try on pants at a Scout Shop; record BSA SKU# below of style that fits best.
- 2) Measure current inseam length of pants you try on and record below.
- 3) Indicate the new requested hemmed inseam below.
- 4) Subtract the difference between the current stock measurement (even if it is an unhemmed measurement) and the new requested hemmed measurement.

BSA Stock SKU: _____ Description: _____

C. Inseam Length
 (From top of inseam to bottom of the pant)

Current BSA Stock Item: _____ inches Customer Requested: _____ inches

Difference (+-): _____ inches

MADE-TO-MEASURE REQUEST



Please use casual trousers (not jeans!) from woven fabric that fit you well to take these garment measurements. We will make the new garment to the measurements that you indicate below. For best results, lay your garment flat on a hard surface and use a soft measuring tape. Smooth the garment with your hands, but do not stretch the fabric. Ironing is recommended for garments that are highly wrinkled. We highly recommend asking a professional tailor to take these measurements.

Customer's Personal Measurement: **Height:** _____ **Weight:** _____

Customer's Typical Trouser Size: **Waist:** _____ **Inseam:** _____

All measurements should be based on actual garments. Not body measurements.

<p>A. Waist: _____ x 2: _____</p> <p><small>*This measurement will not correspond to the size on the label. Please take this measurement from the garment as directed below.</small></p> <p><small>From side to side and double this measurement. Do not stretch elastic if any is present.</small></p>	<p>C. Inseam: _____</p> <p><input type="checkbox"/> Hemmed</p> <p><input type="checkbox"/> Un-Hemmed - From the crotch to pant edge. (Add 2" to actual inseam measurement to account for hemming)</p>	<p>E. Bottom Leg Opening: _____ x 2: _____</p> <p><small>From side to side at the bottom. Double this measurement.</small></p>
<p>B. Hip - 8" Down: _____ x 2: _____</p> <p><small>From side to side 8" below waistband. Double this measurement.</small></p>	<p>D. Thigh - 1" Below Crotch: _____ x 2: _____</p> <p><small>Measure across the leg, parallel to the leg opening, 1" below crotch. Double this measurement.</small></p>	<p>F. Front Rise: _____</p> <p><small>Starting at the bottom of the waistband, measure along the front zipper and seam to the intersection of the inseam.</small></p>
		<p>G. Back Rise: _____</p> <p><small>Starting at the bottom of the waistband, measure along the back seam to the intersection of the inseam.</small></p>



PLEASE TYPE OR WRITE LEGIBLY



BOY SCOUTS OF AMERICA

Made-To-Measure Form

Girls' Scouts BSA Uniform Roll-up Pants

2109 Westinghouse Blvd.
P.O. Box 7143
Charlotte, NC 28271-7143
800-323-0736
NDCSupply.Orders@Scouting.org
www.ScoutShop.org

Customer Name: _____ Date: _____

Shipping Address: _____

Day Time Phone Number: _____ Email: _____

Order Number: *For Office Use Only* _____ PO Number: *For Office Use Only* _____

Comments: _____

All made to measure payments are collected up front. Delivery can take up to 16 weeks.

For more accurate measurements, lay your garment FLAT on a HARD surface and use a soft measuring tape. Smooth the garment with your hands, but do not stretch the fabric. Ironing is recommended for garments that are highly wrinkled.

Note: For optimal results, consult a professional tailor to take these garment measurements.

ONLY INSEAM LENGTH CHANGE REQUEST

Fill out this section if you're able to find an existing in-stock pants size that basically fits and **only requires alterations to inseam length**. Simply follow these easy steps for requesting pants modifications:

- 1) Try on pants at a Scout Shop; record BSA SKU# below of style that fits best.
- 2) Measure current inseam length of pants you try on and record below.
- 3) Indicate the new requested hemmed inseam below.
- 4) Subtract the difference between the current stock measurement (even if it is an unhemmed measurement) and the new requested hemmed measurement.

BSA Stock SKU: _____ Description: _____

C. Inseam Length
(From top of inseam to bottom of the pant)
Current BSA Stock Item: _____ inches Customer Requested: _____ inches
Difference (+-): _____ inches

MADE-TO-MEASURE REQUEST

Please use casual trousers (not jeans!) from woven fabric that fit you well to take these garment measurements. We will make the new garment to the measurements that you indicate below. For best results, lay your garment flat on a hard surface and use a soft measuring tape. Smooth the garment with your hands, but do not stretch the fabric. Ironing is recommended for garments that are highly wrinkled. We highly recommend asking a professional tailor to take these measurements.

Customer's Personal Measurement: Height: _____ Weight: _____
Customer's Typical Trouser Size: Waist: _____ Inseam: _____

All measurements should be based on actual garments. Not body measurements.

A. Waist: _____ x 2: _____
*This measurement will not correspond to the size on the label. Please take this measurement from the garment as directed below.
From side to side and double this measurement.
Do not stretch elastic if any is present.

B. Hip - 8" Down: _____ x 2: _____
From side to side 8" below waistband. Double this measurement.




C. Inseam: _____
 Hemmed
 Un-Hemmed - From the crotch to pant edge. (Add 2" to actual inseam measurement to account for hemming)

D. Thigh - 1" Below Crotch: _____ x 2: _____
Measure across the leg, parallel to the leg opening, 1" below crotch. Double this measurement.

E. Bottom Leg Opening: _____ x 2: _____
From side to side at the bottom. Double this measurement.

F. Front Rise: _____
Starting at the bottom of the waistband, measure along the front zipper and seam to the intersection of the inseam.

G. Back Rise: _____
Starting at the bottom of the waistband, measure along the back seam to the intersection of the inseam.



PLEASE TYPE OR WRITE LEGIBLY