

Made-To-Measure Form Scouts BSA Uniform Shorts

2109 Westinghouse Blvd. P.O. Box 7143 Charlotte, NC 28271-7143 800-323-0736 CSupply.Orders@Scouting.org

			0110113	www.ScoutShop.org
Customer Name:			Date:	
Shipping Address:				
Day Time Phone Number:			Email:	
For Office Use Only Order Number:		PO Number:	For Office Use Only	
Please choose one: Comments:				
Men's Ladies'				
Boys' Girls' All made to mea	asure payments are c	ollected up front. Deliv	very can take up to 16 weel	rs.
For more accurate measurements, lay your garmer stretch the fabric. Ironing is recommended for garr Note: For optimal results, consult a profe	nents that are highly wr	inkled.		nt with your hands, but do not
ONLY INSEAM LENGTH CHANGE REQUE	ST			
Fill out this section if you're able to find an existing in-sto that basically fits and only requires alterations to insea Simply follow these easy steps for requesting shorts mod	m length. diffications: 2) Meas 3) Indica 4) Subtrand t	ure current inseam length of ate the new requested hemm act the difference between the he new requested hemmed n	ne current stock measurement (ever neasurement.	if it is an unhemmed measurement)
BSA Stock SKU:	Description:			
G. Inseam Length (From top of inseam to bottom of the short) Current BSA Stock Item: Difference (+-):		ches Customer Requesto	ed:	inches
MADE-TO-MEASURE REQUEST				
Please use casual trousers (not jeans!) from woven fabric that For best results, lay your garment flat on a hard surface and garments that are highly wrinkled. We highly recommend ask Customer's Personal Measurement:	use a soft measuring tape. Sing a professional tailor to tail	Smooth the garment with you ake these measurements.	ur hands, but do not stretch the fab	ric. Ironing is recommended for
		Inseam:		
All measurements should be based on actual garments. Not body measurements.				
A. Waist: x 2: *This measurement will not correspond to the size on the label. Please take this measurement from the garment as directed below. From side to side and double this measurement. Do not stretch elastic if any is present.		From the crotch to pant edge. (A asurement to account for hemmelow Crotch:		Opening: x 2: bottom. Double this measurement.
B. Hip - 8" Down: x 2: From side to side 8" below waistband. Double this measurement.	Measure across the leg, 1" below crotch. Double	x 2:	Starting at the bottom of front zipper and seam to G. Back Rise:	f the waistband, measure along the o the intersection of the inseam. If the waistband, measure along the ection of the inseam.

Diagram A